

PCT

*

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

(51) International Patent Classification 5:		(11) International Publication Number	r: WO 93/0879
A61K 7/48	A1	(43) International Publication Date:	13 May 1993 (13.05.9)
21) International Application Number: PCT. 22) International Filing Date: 27 October 15	EP92/02	pany plc, Patents Depa	riment, R4 Pennytoot Sites
(30) Priority data: 9122941.9 9127452.2 28 December 1991 (20.1) 9127452.2 28 December 1991 (20.1) (71) Applicant (for all designated States except US): COMPANY PLC [GB/GB]; 1 Thane Roatingham NG2 3AA (GB). (72) Inventors; and (73) Inventors/Applicants (for US anhy): KBMP, [GB/GB]; ROBERTSON, Mandy, Daw LEYLAND, Robert, Leslie [GB/GB]; The pany pic, 1 Thane Road West, Nottingham (GB).	THE BOO d West, h Colyn, l n [GB/O	MN, MW, NL, NO, PL, pean patent (AT, BE, CF, IE, IT, LU, MC, NL, SI CG, CI, CM, GA, GN, Mr. Published With international search Before the expiration of the claims and to be republish amendments.	U, JP, KP, KR, LK, LU, MC RO, RU, SD, SE, US, Eur I, DE, DK, ES, FR, GB, GI S), OAPI patent (BF, BJ, C (L, MR, SN, TD, TG).
		1	
(57) Abstract Skin cleansing compositions comprise an al	esorbent n	sterial to absorb sail, grease and oils diluent or carrier.	from the skin, and a molecula
(54) Title: TOILETRIES COMPOSITION (57) Abstract Skin cleansing compositions comprise an alsieve to act as a heat generating component in an	esorbent n anhydroi	sterial to absorb soil, grease and oils diluent or carrier.	from the skin, and a molecule
(57) Abstract Skin cleansing compositions comprise an al	∞orbent n anhydroi	sterial to absorb soil, grease and oils sediment or carrier.	from the skin, and a molecule
(57) Abstract Skin cleansing compositions comprise an a	esorbent n anhydroi	sterial to absorb soil, grease and oils diluent or carrier.	from the skin, and a molecule
(57) Abstract Skin cleansing compositions comprise an a	esorbent n anhydrol	sterial to absorb soil, grease and oils sidipent or carrier.	from the skin, and a molecule
(57) Abstract Skin cleansing compositions comprise an al	entydroi	sterial to absorb soil, grease and oils is diluent or carrier.	from the skin, and a molecula
(57) Abstract Skin cleansing compositions comprise an al	esorbent n	sterial to absorb soil, grease and oils diluent or carrier.	from the skin, and a molecula
(57) Abstract Skin cleansing compositions comprise an al	enhydroi	sterial to absorb soil, grease and oils so different or carrier.	from the skin, and a molecula

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphies publishing international applications under the PCT.

					_
	_	FR	France	MR	Mauritania
AT	Austria		Ophon	MW	Malawi
ΑU	Australia	CA	Upper	NL.	Metherlands
BB	Barbadus	CB	United Kingdom	NEO	Norway
BE	Belgium	GN	Guinea	NZ.	New Zenioni
	Burkina Paso	GR	Graze		
6F		HU	Hungary	PL.	Poland
EC	Balfaria	IR.	Ireland	PT	Partu kal
B)	Bunia	-4: TT	Maly	RQ	Rumunia
BR	(Benzil		•	RU	Russian Federation
CA	Consula	JP	Ispan	SD	Sudan
CF	Chapmi African Republic	KP	Democratic People's Republic	88	Sweden
ča	Conto		of Koros	SK	Slovat Republic
CH	Swipertand	KR	Republic of Korea		Spicesi
		К2	Kazakhstan	₽N.	
CI	Côte d'ivaire	1.1	Liechtenstein	SU	Sovici Union
CM	Chumonn	rr i.t	Sri 14pku	70	لمنظ)
Œ	Czurhoslovakiu -			TC	Таво
CZ.	Geech Republic	LU	Enremponts	UA.	Likenion
DB	Germany	MC	Musico	นร	United States of America
DK	Denmark	MC	Mudigascar		Vict Nam
		M3.	Mail	VN	A lift 147m
EG	Spain	MN	Mongoliu		
FI	Finiani	744.4			

WO 93/08793

25

- 1 -

TOILETRIES COMPOSITION

The present invention relates to skin cleansing compositions and in particular to skin cleansing compositions, such as face masks, which contain an absorbent material to absorb soil, grease and oils from the skin.

The present invention provides a skin cleansing composition which comprises 3 to 60% by weight of one or more absorbent materials and 0.5 to 80% by weight of 10 molecular sieve together with an anhydrous diluent or carrier. The term "anhydrous" as used herein means that be enough water present there should not significantly effect the performance of the compositions of the present invention. It will be appreciated by 15 those skilled in the art that many components commonly . used in cosmetic and toiletries compositions do contain The use of such components in the compositions of the present invention is not precluded provided that the performance of the compositions is not 20 jeopardised.

Suitable absorbent materials include kaolin, Fullers earth, china clay, bentonite and mixtures thereof. In preferred skin cleansing compositions, the absorbent material comprises 10 to 35% of the composition by weight. The above absorbent may optionally be mixed with one or more additional absorbents selected from zinc oxide, magnesium oxide, aluminium oxide, magnesium aluminium silicate for example as sold under the trade name Veegum, starches such as potato starch, magnesium carbonate, mica, silicas, talc, Kieselguhr and grain meals for example meals derived from oat, rye, wheat, barley or corn. Such additional absorbents may comprise up to 20% of the skin cleansing composition by weight.

:

PCT/EP92/02495

WO 93/08793

- 2 **-**

Suitable molecular sieves for use in the skin cleansing compositions of the present invention are natural zeolites or synthetically produced crystalline alumino-silicates that have been activated by removing 5 their water of hydration. Suitable molecular sieves are available commercially (e.g. Molecular Sieve 3A from skin cleansing preferred In Union Carbide). compositions the molecular sieve comprises 20 to 35% by weight of the composition. Heretofore molecular sieves 10 have had wide utility in the absorption of gases and liquids. In the compositions the molecular sieve absorbs water from the skin onto which the compositions are placed and in the process heat of hydration (absorption) is liberated. This heat opens the pores of the skin to 15 enable any soil, grease or oil to be released so that it is more easily absorbed by the absorbent material in the composition. In addition, the heat increases the blood circulation under the skin and causes a feeling of wellbeing in the user.

20 The skin cleansing compositions of the present invention may also contain one or more other materials which generate heat when contacted by moisture in the skin. Examples of other materials which generate heat in this way include glycols, such as polyethylene glycol and 1,3-butylene glycol, glycerin, methyl glyceth and copolymers of ethylene and propylene oxide for example those sold by Union Carbide under the trade name Ucon Fluid. These other heat generating materials may comprise up to 85% of the skin cleansing compositions of the present invention.

Other materials may be included in the skin cleansing compositions of the present invention. Such materials include suspending agents such as pyrogenic silica; humectants such as glycerin thickening agents

WO 93/08793

- 3 -

such as carboxymethyl cellulose or other gums; cosmetically acceptable oils such as almond oil which aid the removal of oily soil from the skin; materials which enhance the feel of the composition and aid its application such as talc or silk powder; cosmetically acceptable surfactants such as polyechoxylated glyceryl laurate or polyethoxylated sorbitol [such as the POE (30)-sorbitol sold under the trade name Atlas G2330]; colouring agents and perfumes.

In use the skin cleansing composition of the 10 present invention is spread on the skin, typically the face, and removed after the desired time period, typically 2 to 15 minutes for example by washing. During this time period the molecular sieve and any other heat generating components which may be present adsorb water from the skin. The heat of hydration liberated during this adsorption raises the temperature of the skin to increase the blood flow below the skin and to open the skin pores to facilitate the removal of soil, grease and 20 oil from the skin . If the skin cleansing composition of the present invention is applied to skin which has been previously wetted with water, for example by rinsing, washing or steaming, the heat liberation occurs quickly after application and the user will be aware of a rapid rise in temperature. If the skin cleansing composition is applied to skin which has not been wetted, the heat generating components will absorb moisture from the skin causing the temperature to rise more slowly.

In one embodiment of the present invention the skin cleansing composition of the present invention is supplied to the user as the second part of a two part skin cleansing system. The first part of such a system may comprise an aromatic water-dispersible oil which is dispersed in very hot water. The skin to be cleansed is

Ī

PCT/EP92/02495

WO 93/08793

- 4 -

then steamed over this infusion before a skin cleansing composition of the present invention is applied to the skin as the second part of the system.

The invention will now be illustrated by the following description of skin cleansing compositions which are given by way of example only. In Tables I and II all percentages are by weight.

In each Example hereinafter the ability of compositions to generate heat is illustrated by the following experiment. A sample (10 g) of the skin cleansing composition at around 25°C was mixed with water (3 ml) at around 15°C. The maximum temperature attained was then recorded and is shown in the following Tables.

WO 93/08793

	Ľ.	TRBLE I			
	Бк.1	EX.2	Bx.3	Ex.4	Bx.5
Molecular Sieve 3A	35	30	25	50	1
	12.5	15	20	5	20
Titanium Dioxide coated with alumina, silica and	н	Ţ	2	—	-1
trimethylolpropane (sold					
name Tioxide					
1,3-butyleneglycol	15	17	13	6	43
polyethyleneglycol 400	1.0	0τ	10	10	10
methylgluceth-10 (sold under	10	10	10	10	10
the trade name Glucam E-10)					
	5	5	5	5	ĸ
laurate (sold	0	0	æ	0	0
name Glycerox					
-		F			

WO 93/08793

				6		 -	 -		
TABLE I	Bx.5	2	រភ	20	,-1	0	0	0	32
	Ex. 4	2	រភ	2	1	0	0	0	56-58
	Ex.3	7	ĸ	0	0	0	0	0	42-44
	Bx.2	2	rv.	0	5	0	0	0	46-47
	Ex.1	2	ın	7	ī	0.5	0.5	0.5	45-48
		pyrogenic silica (sold under the trade name Aerosil 200)	polyethoxylated sorbitol (sold under the trade name Atlas G2330)	siliconised talc (sold under the trade name Talc Extra Cartwright Siliconised)	carboxymethyl cellulose	Almond Oil	Natural Silk Powder	Colouring, Perfumes	Maximum Temperature (°C)

Continuation of Table.

WO 93/08793

5

PCT/EP92/02495

- 7 -

TABLE II

	Ex.6	Ex.7	Ex.8
Molecular Sieve 3A	80	80	5
Heavy Kaolin BP	15	15	12
Polyethyleneglycol 400	5	0	0
Copolymer of ethylene and propylene oxide (Ucon Fluid 50-HB-600)	0	0	3
Volatile Silicone (345DC)	0	5	0
Maximum Temperature	78	83	33

WO 93/08793

- 8 -

CLAIMS

- A skin cleansing composition comprising 3 to 60% by weight of one or more absorbent materials and 0.5 to 80% by weight of molecular sieve together with an anhydrous diluent or carrier.
- 2. A skin cleansing composition as claimed in claim 1 wherein the absorbent material comprises 10 to 35% by weight of the composition, and is selected from kaolin, Fullers earth, china clay, bentonite or mixtures 10 thereof.
 - 3. A skin cleansing composition as claimed in claim 1 wherein the molecular sieve comprises 20 to 35% by weight of the composition.
- 4. A skin cleansing composition as claimed in claim 2 15 which comprises up to 20% by weight of an additional absorbent.
- 5. A skin cleansing system comprising two parts, the first of which comprises an aromatic water-dispersible oil and the second of which comprises a composition as 20 claimed in any preceding claim.
 - 6. A method of cleansing skin comprising the steps of spreading a skin cleansing composition, as claimed in any one of claims 1 to 4, on the skin, leaving it for 2 to 15 minutes, then removing the composition by washing.
- 7. A method of cleansing skin comprising the steps of steaming the skin over an infusion consisting of an aromatic water-dispersible oil dispersed in very hot water, followed by application to the skin of a skin cleansing composition as claimed in any one of claims 1 to 4.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 92/02495

L CLASSIFI	CATION OF SUBJE	CT MATTER (If several classif	ergos elemen	ls apply, indicate all) ⁶	
According to	o Internstional Putent	Classification (IPC) or to both Na	timal Classi	Bentlen and IPC	
Int.Cl.	5 A61K7/48				
u. Fields	SEARCHED				
		Minimun		ios Seurchel?	
Chastificatio	on System		Clas	sification Symbols	
Int.C1.	5	A61K			
		Documentation Search	ed other than	Minimum Documentation	
· · · · · · · · · · · · · · · · · · ·		to the Extent that such Do	chibetta 7.0 i	ncluded in the Fictes Secrebed	
ID. DOCUM		D TO BE BELEVANT			
Category o	Citation of D	ocument, 11 with Indication, where	appropriato,	of the relevant passages 12	Relevant to Claim Na.13
Х	US,A,3 10 May	250 680 (MENKART E	T AL.)		1-3,6
	see the	whole document			
x	WD.A.S	- 605 389 (PRODUCT R	ESOURCE	· · · · · · · · · · · · · · · · · · ·	1,3,6
	INTERNA 25 Sept	TIONAL INC.) ember 1986			
	see cla	ims 1-31; examples	1-7		
٨	January abstrac	L ABSTRACTS, vol. 1980, Columbus, G t no. 11222z, A 'zeolite contain	lhio, US	•	1-3,6
	see abs		_		
				-/	
				•	
° Specia	il categories of cited &	ocuments 110		later document published after the initial of priority date and not in conflict with class to understand the priociple or the	national filing date the application but pry underlying the
CO1	asidered to be of partic	ENTER PROPERTY.		MACUDOB	
制	iod date Line document and bat	lithed on or after the international	•	X" document of particular scievancer the common to common to involve an inventive step	p considered to
wh!	ich is cited to exabit.	on doubts on priority claim(s) of the publication date of another	•	UP document of austicular releasures the c	laimed levention
O 40	coment referring to at ation or other special:	retzoù (25 specified) 1 orai disclosure, use, exhibition of		cannot be considered to involve an involve an involve an involve and involve an involve	e utpet eich goch- mitet Meb eilen ma
art doe	per comment	r to the international filing duce bu	nt	ments, such communities being devices in the sate. A document member of the same patent if	
	MICATION				
		the Interactional Search		Date of Mailing of this pregnational S.	mech Report
	*	JARY 1993		0 4. 11. 33	J
laternarions	al Searching Anthority	<u> </u>		Signature of Authorized Officer	
		ZAN PATENT OFFICE		FISCHER J.P.	
Para PCT/ISA	(210 (second sheet) (June	1920	<u>+</u>		

[nematicae]	Application No
-------------	----------------

L DOCUME	WIS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SICEET)	Relevant to Claim No.	
egoty °	VIS CONSIDERED TO HE RELEVANT. Citation of Document, with indication, where appropriate, of the relevant passages		
	FR.A.2 106 584 (GENERAL CHEMICALS AND	1-2,4,6	
	5 May 1972 see the whole document		
	268 THE Ampie decame.	}	
Į.			
			1
1			ŀ
		,	ì
			1
	·		1
1			1
-			1
	•		
1			1
ļ			1
			1
1		·	j
			1
			1
i i			
ĺ			
1			ì
		•	1
i			ı
1			
]	·	·	1
l 1	•		ı
			1
		,	•
1	,		1
Į.	·		١
1			Ì
i			1
!			1
			ł
			ı
l .			•

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

EP 9202495 SA 66240

This assess lists the patent family members relating to the satent documents cited in the above-mentioned international ararch report.

The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18/02/93

Pattet document cited in search report	Publication date	Patent family member(v)		Publication date	
US-A-3250680		CA-A-	758049		
WO-A-8605389	25-09-86	AU-A- CA-A- EP-A-	5549486 1269015 0215903	13-10-86 15-05-90 01-04-87	
FR-A-2106584	05-05-72	DE-A- GB-A-	2145032 1357000	06-04-72 19-06-74	
<i>-</i>					

For more details about this sames: see Official Journal of the European Patent Office, No. 12/82